Author Index Vol. 693

Adams, D.A., Murray, S., Piers Clifford, C., Rendell, N.B., Davies, D.S. and Taylor, G.W.
Analysis of terfenadine in human plasma using microbore high-performance liquid chromatography–electrospray ionisation mass spectrometry 693(1997)345

Ahokas, J.T., see Haritos, V.S. 693(1997)327

Akiyama, T., see Takauchi, Y. 693(1997)218

Alamercery, S., see Guitton, J. 693(1997)59

Alexander, P.W., see Hidayat, A. 693(1997)139

Andrews, C., see Cwik, M.J. 693(1997)407

Angerer, J. and Käfferlein, H.U.
Gas chromatographic method using electron-capture detection for the determination of musk xylene in human blood samples. Biological monitoring of the general population 693(1997)71

Anspach, F.B., see Petsch, D. 693(1997)79

Aramayona, J.J., see Garcia, M.A. 693(1997)377

Arroyo, C., see López-Calull, C. 693(1997)228

Ary, K., see Róna, K. 693(1997)393

Atherton, J., see Feng, M.R. 693(1997)159

Bagger, M., see Bechgaard, E. 693(1997)237

Bechgaard, E., Bagger, M., Larsen, R. and Wulff Nielsen, H.
High-performance liquid chromatographic analysis of Peptide T in rabbit plasma with on-line column enrichment 693(1997)237

Beeskow, T.C., see Petsch, D. 693(1997)79

Berna, P.P. and Porath, J.
Salt-independent adsorption of human serum proteins on cyanocarbon gels 693(1997)277

Bidouil, S., Dubois, J. and Hanocq, M.
Isocratic high-performance liquid chromatographic method for the separation of isradipine and its main metabolites. Application to in vitro metabolization by h3A4/OR cells 693(1997)359

Blaschke, G., see Frost, M. 693(1997)313

Bonal, J., see López-Calull, C. 693(1997)228

Boulieu, R., Gallant, C. and Silberstein, N.
Determination of acyclovir in human plasma by high-performance liquid chromatography 693(1997)233

Brazier, J.L., see Guitton, J. 693(1997)59

Bregante, M.A., see Garcia, M.A. 693(1997)377

Burke, R.A., Hvizd, M.G. and Shockley, T.R.
Direct determination of polyglucose metabolites in plasma using anion-exchange chromatography with pulsed amperometric detection 693(1997)353

Buxeraud, J., see Rousseau, A. 693(1997)93

Caillé, G., see Dépôt, M. 693(1997)399

Caldwell, J.H., see Link, J.M. 693(1997)31

Campillo, N., see Viñas, P. 693(1997)443

Carlin, J., see Constanzer, M.L. 693(1997)117

Carlucci, G. and Mazzeo, P.
Finasteride in biological fluids: extraction and separation by a graphitized carbon black cartridge and quantification by high-performance liquid chromatography 693(1997)245

Cepeda, A., see González, P. 693(1997)321

Chai, T.-j., see Hwang, D.-F. 693(1997)23

Chakravarthy, B.K., see Pandya, K.K. 693(1997)199

Chan, K., see Chen, A.G. 693(1997)153

Chang, S.-H., see Hwang, D.-F. 693(1997)23

Chavez, C.M., see Constanzer, M.L. 693(1997)117

Chavez-Eng, C.M., see Constanzer, M.L. 693(1997)131

Chen, A.G., Wing, Y.K., Chiu, H., Lee, S., Chen, C.N. and Chan, K.
Simultaneous determination of imipramine, desipramine and their 2- and 10-hydroxylated metabolites in human plasma and urine by high-performance liquid chromatography 693(1997)153

Chen, C.N., see Chen, A.G. 693(1997)153

Ching, M.S., see Haritos, V.S. 693(1997)327

Chittur, S.V. and Tracy, T.S.
Rapid and sensitive high-performance liquid chromatographic assay for 6-hydroxychlorzoxazone and chlorzoxazone in liver microsomes 693(1997)479

Chiu, H., see Chen, A.G. 693(1997)153

Chmurzyński, L.
High-performance liquid chromatographic determination of quinine in rat biological fluids 693(1997)423

Chou, S.-T., see Yang, C.-S. 693(1997)257

Comby, F., see Rousseau, A. 693(1997)93

Constanzer, M.L., Chavez, C.M., Matuszewski, B.K., Carlin, J. and Graham, D.
Low level determination of a novel 4-azasteroid and its carboxylic acid metabolite in human plasma and semen using high-performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 693(1997)117

Constanzer, M.L., Chavez-Eng, C.M. and Matuszewski, B.K.
Determination of a novel growth hormone secretagogue (MK-677) in human plasma at picogram levels by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 693(1997)131

Curatolo, M., see Sangiorgi, E. 693(1997)468

Cwik, M.J., Liang, M., Deyo, K., Andrews, C. and Fischer, J.
Simultaneous rapid high-performance liquid chromatographic determination of phenytoin and its prodrug, fosphenytoin in human plasma and ultrafiltrate 693(1997)407

Dasgupta, A. and Hart, A.P.
Lamotrigine analysis in plasma by gas chromatography–mass spectrometry after conversion to a *tert.*-butyldimethylsilyl derivative 693(1997)101

Dautraix, S., see Guitton, J. 693(1997)59

Davies, D.S., see Adams, D.A. 693(1997)345

Dawson, M., see Fryirs, B. 693(1997)51

Deckwer, W.-D., see Petsch, D. 693(1997)79

Denizli, A., see Kocakulak, M. 693(1997)271

Dépôt, M., Leroux, S. and Caillé, G.
High-resolution liquid chromatographic method using ultraviolet detection for determination of ondansetron in human plasma 693(1997)399

Désage, M., see Guitton, J. 693(1997)59

Deyo, K., see Cwik, M.J. 693(1997)407

De Zeeuw, D., see Haas, M. 693(1997)484

De Zeeuw, D., see Kok, R.J. 693(1997)181

Dijkstra, D., see Haas, M. 693(1997)484

Dubois, J., see Bidouil, S. 693(1997)359

Dutruch, L., see Guitton, J. 693(1997)59

Elzinga, L., see Van Kuilenburg, A.B.P. 693(1997)287

Feng, M.R., Atherton, J., Knoll, S., Strenkoski, C.A. and Wright, D.S.
Determination of two CI-1007 sulfate metabolites in monkey plasma and urine 693(1997)159
Fente, C.A., see González, P. 693(1997)321
Fischer, J., see Cwik, M.J. 693(1997)407
Foglia, J.P., Sorisio, D., Kirshner, M. and Pollock, B.G.
Quantitative determination of paroxetine in plasma by high-performance liquid chromatography and ultraviolet detection 693(1997)147
Fraile, L.J., see Garcia, M.A. 693(1997)377
Franco, C., see González, P. 693(1997)321
Frost, M., Köhler, H. and Blaschke, G.
Determination of LSD in blood by capillary electrophoresis with laser-induced fluorescence detection 693(1997)313
Fryirs, B., Dawson, M. and Mather, L.E.
Highly sensitive gas chromatographic–mass spectrometric method for morphine determination in plasma that is suitable for pharmacokinetic studies 693(1997)51
Furlan, B., see Lukša, J. 693(1997)367
Gachályi, B., see Róna, K. 693(1997)393
Gallant, C., see Boulieu, R. 693(1997)233
Gandhi, T.P., see Pandya, K.K. 693(1997)199
Garcia, M.A., Aramayona, J.J., Bregante, M.A., Fraile, L.J. and Solans, C.
Simultaneous determination of verapamil and norverapamil in biological samples by high-performance liquid chromatography using ultraviolet detection 693(1997)377
García-Capdevila, L., see López-Calull, C. 693(1997)228
Gardana, C., see Pietta, P.G. 693(1997)249
Ghabrial, H., see Haritos, V.S. 693(1997)327
González, P., Fente, C.A., Franco, C., Vázquez, B., Quinto, E. and Cepeda, A.
Determination of residues of the β-agonist clenbuterol in liver of medicated farm animals by gas chromatography–mass spectrometry using diphasic dialysis as an extraction procedure 693(1997)321
Graham, D., see Constanzer, M.L. 693(1997)117
Guitton, J., Désage, M., Alamercery, S., Dutruch, L., Dautraix, S., Perdrix, J.P. and Brazier, J.L.
Gas chromatographic–mass spectrometry and gas chromatographic–Fourier transform infrared spectroscopy assay for the simultaneous identification of fentanyl metabolites 693(1997)59
Haas, M., Moolenaar, F., Kluppel, A.C.A., Dijkstra, D., Meijer, D.K.F. and de Zeeuw, D.
Determination of dopaminergic prodrugs by high-performance liquid chromatography followed by post-column ion-pair extraction 693(1997)484
Hamamoto, K., Koike, R., Shirakura, A., Sasaki, N. and Machida, Y.
Rapid and sensitive determination of amprolium in chicken plasma by high-performance liquid chromatography with post-column reaction 693(1997)489
Hanocq, M., see Bidouil, S. 693(1997)359
Harada, K.-i., see Oka, H. 693(1997)337
Haritos, V.S., Ching, M.S., Ghabrial, H. and Ahokas, J.T.
Measurement of dexfenfluramine metabolism in rat liver microsomes by gas chromatography–mass spectrometry 693(1997)327
Hart, A.P., see Dasgupta, A. 693(1997)101
Hawthorne, D.J., see Jemal, M. 693(1997)109
Hayakawa, J., see Oka, H. 693(1997)337
Hernández-Córdoba, M., see Viñas, P. 693(1997)443
Hibbert, D.B., see Hidayat, A. 693(1997)139
Hidayat, A., Hibbert, D.B. and Alexander, P.W.
Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139
Homma, M., see Li, C. 693(1997)191
Howard, G.M. and Schwende, F.J.
Sensitive reversed-phase high-performance liquid chromatographic method for the determination of atevirdine and its N-desethyl metabolite in human saliva or cerebrospinal fluid using solid-phase extraction 693(1997)431
Hušek, P. and Matucha, P.
Simple approach for analysis of plasma oxo-, hydroxy- and dicarboxylic acids 693(1997)499
Hutto, T., see Reeves Huie, W. 693(1997)451
Hvizd, M.G., see Burke, R.A. 693(1997)353
Hwang, D.-F., Chang, S.-H., Shiua, C.-Y. and Chai, T.-j.
High-performance liquid chromatographic determination of biogenic amines in fish implicated in food poisoning 693(1997)23
Ikai, Y., see Oka, H. 693(1997)337
Ito, Y., see Oka, H. 693(1997)337
Jankowski, A., Skorek-Jankowska, A. and Lamparczyk, H.
Determination and pharmacokinetics of a furosemide–amiloride drug combination 693(1997)383
Jemal, M. and Hawthorne, D.J.
Quantitative determination of BMS186716, a thiol compound, in dog plasma by high-performance liquid chromatography–positive ion electrospray mass spectrometry after formation of the methyl acrylate adduct 693(1997)109
Josić, Dj., see Lukša, J. 693(1997)367
Käfferlein, H.U., see Angerer, J. 693(1997)71
Kawada, T., see Takauchi, Y. 693(1997)218
Khuhawar, M.Y., Lanjwani, S.N. and Memon, S.A.
High-performance liquid chromatographic determination of cisplatin as platinum(II) in a pharmaceutical preparation and blood samples of cancer patients 693(1997)175
Kimura, A., see Suzuki, M. 693(1997)11
Kirshner, M., see Foglia, J.P. 693(1997)147
Kitagawa, H., see Takauchi, Y. 693(1997)218
Klebovich, I., see Róna, K. 693(1997)393
Kluppel, A.C.A., see Haas, M. 693(1997)484
Knoll, S., see Feng, M.R. 693(1997)159
Kobayashi, J., see Shirao, M.K. 693(1997)463
Kocakulak, M., Denizli, A., Rad, A.Y. and Pişkin, E.
New sorbent for bilirubin removal from human plasma: Cibacron Blue F3GA-immobilized poly(EGDMA–HEMA) microbeads 693(1997)271
Köhler, H., see Frost, M. 693(1997)313
Koike, R., see Hamamoto, K. 693(1997)489
Kok, R.J., Visser, J., Moolenaar, F., de Zeeuw, D. and Meijer, D.K.F.
Bioanalysis of captopril: two sensitive high-performance liquid chromatographic methods with pre- or postcolumn fluorescent labeling 693(1997)181
Korst, A.E.C., Vermorken, J.B. and van der Vijgh, W.J.F.
High-performance liquid chromatographic assay using electrochemical detection for the combined measurement of amifostine, WR 1065 and the disulfides in plasma 693(1997)167
Kremser, M., see Lukša, J. 693(1997)367
Krohn, K.A., see Link, J.M. 693(1997)31

Kuo, J.-S., see Yang, C.-S. 693(1997)257
Kurosawa, T., see Suzuki, M. 693(1997)11
Lachâtre, G., see Rousseau, A. 693(1997)93
Lamparczyk, H., see Jankowski, A. 693(1997)383
Lanjwani, S.N., see Khuhawar, M.Y. 693(1997)175
Larsen, R., see Bechgaard, E. 693(1997)237
Lau, C.E., see Ma, F. 693(1997)307
Lee, S., see Chen, A.G. 693(1997)153
Leroux, S., see Dépôt, M. 693(1997)399
Li, C., Homma, M. and Oka, K.
Chromatographic identification of phenolic compounds in human urine following oral administration of the herbal medicines *Daisaiko-to* and *Shosaiko-to* 693(1997)191
Liang, M., see Cwik, M.J. 693(1997)407
Lin, N.-N., see Yang, C.-S. 693(1997)257
Link, J.M., Synovec, R.E., Krohn, K.A. and Caldwell, J.H.
High speed liquid chromatography of phenylethanolamines for the kinetic analysis of [^{11}C]-*meta*-hydroxyephedrine and metabolites in plasma 693(1997)31
Loc'h, C., see Wang, R.F. 693(1997)265
Loos, W.J., Verweij, J., Nooter, K., Stoter, G. and Sparreboom, A.
Sensitive determination of docetaxel in human plasma by liquid–liquid extraction and reversed-phase high-performance liquid chromatography 693(1997)437
López-Calull, C., García-Capdevila, L., Arroyo, C. and Bonal, J.
Simple and robust high-performance liquid chromatographic method for the determination of ranitidine in microvolumes of human serum 693(1997)228
López-Erroz, C., see Viñas, P. 693(1997)443
Lukša, J., Josić, Dj., Podobnik, B., Furlan, B. and Kremser, M.
Semi-preparative chromatographic purification of the enantiomers *S*-(−)-amlodipine and *R*-(+)-amlodipine 693(1997)367
Ma, F., Zhang, J. and Lau, C.E.
Determination of cocaine and its metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 693(1997)307
Machida, Y., see Hamamoto, K. 693(1997)489
Madden, T., see Reeves Huie, W. 693(1997)451
Maeda, K., see Oka, H. 693(1997)337
Markoglou, N. and Wainer, I.W.
Determination of the anticancer agent CI-980 in plasma by achiral liquid chromatography on a Pirkle-type stationary phase 693(1997)493
Marquet, P., see Rousseau, A. 693(1997)93
Mather, L.E., see Fryirs, B. 693(1997)51
Matucha, P., see Hušek, P. 693(1997)499
Matuszewski, B.K., see Constanzer, M.L. 693(1997)117
Matuszewski, B.K., see Constanzer, M.L. 693(1997)131
Mauri, P.L., see Pietta, P.G. 693(1997)249
Mazière, B., see Wang, R.F. 693(1997)265
Mazzeo, P., see Carlucci, G. 693(1997)245
Meijer, D.K.F., see Haas, M. 693(1997)484
Meijer, D.K.F., see Kok, R.J. 693(1997)181
Memon, S.A., see Khuhawar, M.Y. 693(1997)175
Merslavič, M. and Zupančič-Kralj, L.
Determination of tramadol in human plasma by capillary gas chromatography–mass spectrometry using solid-phase extraction 693(1997)222
Mochizuki, E., see Shirao, M.K. 693(1997)463
Modi, I.A., see Pandya, K.K. 693(1997)199
Modi, R.I., see Pandya, K.K. 693(1997)199
Mody, V.D., see Pandya, K.K. 693(1997)199
Moolenaar, F., see Haas, M. 693(1997)484
Moolenaar, F., see Kok, R.J. 693(1997)181
Murai, T., see Suzuki, M. 693(1997)11
Murray, S., see Adams, D.A. 693(1997)345
Nakazawa, H., see Shirao, M.K. 693(1997)463
Narita, S., see Yasuda, M. 693(1997)211
Newman, R.A., see Reeves Huie, W. 693(1997)451
Nie, L.-H., see Yu, B.-S. 693(1997)43
Nielsen, H.W., see Bechgaard, E. 693(1997)237
Nooter, K., see Loos, W.J. 693(1997)437
Odani, H., see Oka, H. 693(1997)337
Ohata, H., Otsuka, M. and Ohmori, S.
Determination of acetaldehyde in biological samples by gas chromatography with electron-capture detection 693(1997)297
Ohmori, S., see Ohata, H. 693(1997)297
Oka, H., Ikai, Y., Ito, Y., Hayakawa, J., Harada, K.-i., Suzuki, M., Odani, H. and Maeda, K.
Improvement of chemical analysis of antibiotics. XXIII. Identification of residual tetracyclines in bovine tissues by electrospray high-performance liquid chromatography–tandem mass spectrometry 693(1997)337
Oka, K., see Li, C. 693(1997)191
Otsuka, M., see Ohata, H. 693(1997)297
Pandya, K.K., Mody, V.D., Satia, M.C., Modi, I.A., Modi, R.I., Chakravarthy, B.K. and Gandhi, T.P.
High-performance thin-layer chromatographic method for the detection and determination of lansoprazole in human plasma and its use in pharmacokinetic studies 693(1997)199
Peh, K.-K. and Yuen, K.-H.
Simple high-performance liquid chromatographic method for the determination of acyclovir in human plasma using fluorescence detection 693(1997)241
Perdrix, J.P., see Guitton, J. 693(1997)59
Petsch, D., Beeskow, T.C., Anspach, F.B. and Deckwer, W.-D.
Membrane adsorbers for selective removal of bacterial endotoxin 693(1997)79
Piers Clifford, C., see Adams, D.A. 693(1997)345
Pietta, P.G., Gardana, C. and Mauri, P.L.
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249
Pişkin, E., see Kocakulak, M. 693(1997)271
Podobnik, B., see Lukša, J. 693(1997)367
Pollock, B.G., see Foglia, J.P. 693(1997)147
Porath, J., see Berna, P.P. 693(1997)277
Quinto, E., see González, P. 693(1997)321
Raby, C., see Rousseau, A. 693(1997)93
Rad, A.Y., see Kocakulak, M. 693(1997)271
Reeves Huie, W., Newman, R.A., Hutto, T. and Madden, T.
High-performance capillary electrophoresis measurement of dolastatin-10 693(1997)451
Rendell, N.B., see Adams, D.A. 693(1997)345
Richards, R.M.E., see Stead, D.A. 693(1997)415
Róna, K., Ary, K., Gachályi, B. and Klebovich, I.
Liquid chromatographic method for the determination of ticlopidine in human plasma 693(1997)393
Rousseau, A., Marquet, P., Comby, F., Buxeraud, J., Raby, C. and Lachâtre, G.
Sensitive microanalysis of imipramine and desipramine in single rat thyroids by gas chromatography–mass spectrometry 693(1997)93

Sangiorgi, E. and Curatolo, M.
Application of a sequential analytical procedure for the detection of the β-agonist brombuterol in bovine urine samples 693(1997)468
Sasaki, N., see Hamamoto, K. 693(1997)489
Satia, M.C., see Pandya, K.K. 693(1997)199
Schwende, F.J., see Howard, G.M. 693(1997)431
Shirakura, A., see Hamamoto, K. 693(1997)489
Shirao, M.K., Suzuki, S., Kobayashi, J., Nakazawa, H. and Mochizuki, E.
Analysis of creatinine, vanilmandelic acid, homovanillic acid and uric acid in urine by micellar electrokinetic chromatography 693(1997)463
Shiua, C.-Y., see Hwang, D.-F. 693(1997)23
Shockley, T.R., see Burke, R.A. 693(1997)353
Silberstein, N., see Boulieu, R. 693(1997)233
Siluveru, M. and Stewart, J.T.
Stereoselective determination of *R*-(−)- and *S*-(+)-prilocaine in human serum by capillary electrophoresis using a derivatized cyclodextrin and ultraviolet detection 693(1997)205
Skorek-Jankowska, A., see Jankowski, A. 693(1997)383
Slingerland, R.J., see Van Kuilenburg, A.B.P. 693(1997)287
Solans, C., see Garcia, M.A. 693(1997)377
Sorisio, D., see Foglia, J.P. 693(1997)147
Sparreboom, A., see Loos, W.J. 693(1997)437
Stead, D.A. and Richards, R.M.E.
Sensitive high-performance liquid chromatographic assay for aminoglycosides in biological matrices enables the direct estimation of bacterial drug uptake 693(1997)415
Stewart, J.T., see Siluveru, M. 693(1997)205
Stoter, G., see Loos, W.J. 693(1997)437
Strenkoski, C.A., see Feng, M.R. 693(1997)159
Suzuki, M., Murai, T., Yoshimura, T., Kimura, A., Kurosawa, T. and Tohma, M.
Determination of 3-oxo-Δ^4- and 3-oxo-$\Delta^{4,6}$-bile acids and related compounds in biological fluids of infants with cholestasis by gas chromatography–mass spectrometry 693(1997)11
Suzuki, M., see Oka, H. 693(1997)337
Suzuki, S., see Shirao, M.K. 693(1997)463
Synovec, R.E., see Link, J.M. 693(1997)31
Takauchi, Y., Kitagawa, H., Kawada, T., Akiyama, T. and Yamazaki, T.
High-performance liquid chromatographic determination of myocardial interstitial dihydroxyphenylglycol 693(1997)218
Taylor, G.W., see Adams, D.A. 693(1997)345
Tohma, M., see Suzuki, M. 693(1997)11
Tracy, T.S., see Chittur, S.V. 693(1997)479
Tsai, P.-J., see Yang, C.-S. 693(1997)257
Uyanık, A.
Gas chromatography in anaesthesia. I. A brief review of analytical methods and gas chromatographic detector and column systems 693(1997)1
Van den Berg, A.A., see Van Kuilenburg, A.B.P. 693(1997)287
Van der Vijgh, W.J.F., see Korst, A.E.C. 693(1997)167
Van Gennip, A.H., see Van Kuilenburg, A.B.P. 693(1997)287
Van Kuilenburg, A.B.P., Elzinga, L., Verschuur, A.C., Van den Berg, A.A., Slingerland, R.J. and Van Gennip, A.H.
Determination of CTP synthetase activity in crude cell homogenates by a fast and sensitive non-radiochemical assay using anion-exchange high-performance liquid chromatography 693(1997)287
Vázquez, B., see González, P. 693(1997)321
Vermorken, J.B., see Korst, A.E.C. 693(1997)167
Verschuur, A.C., see Van Kuilenburg, A.B.P. 693(1997)287
Verweij, J., see Loos, W.J. 693(1997)437
Viñas, P., Campillo, N., López-Erroz, C. and Hernández-Córdoba, M.
Use of post-column fluorescence derivatization to develop a liquid chromatographic assay for ranitidine and its metabolites in biological fluids 693(1997)443
Visser, J., see Kok, R.J. 693(1997)181
Wainer, I.W., see Markoglou, N. 693(1997)493
Wang, R.F., Loc'h, C. and Mazière, B.
Determination of unchanged [^{18}F]dopamine in human and non-human primate plasma during positron emission tomography studies: a new solid-phase extraction method comparable to radio-thin-layer chromatography analysis 693(1997)265
Wing, Y.K., see Chen, A.G. 693(1997)153
Wright, D.S., see Feng, M.R. 693(1997)159
Wu, J.-P., see Yang, C.-S. 693(1997)257
Yamazaki, T., see Takauchi, Y. 693(1997)218
Yang, C.-S., Tsai, P.-J., Wu, J.-P., Lin, N.-N., Chou, S.-T. and Kuo, J.-S.
Evaluation of extracellular lipid peroxidation in brain cortex of anaesthetized rats by microdialysis perfusion and high-performance liquid chromatography with fluorimetric detection 693(1997)257
Yao, S.-Z., see Yu, B.-S. 693(1997)43
Yasuda, M. and Narita, S.
Simultaneous determination of phospholipid hydroperoxides and cholesteryl ester hydroperoxides in human plasma by high-performance liquid chromatography with chemiluminescence detection 693(1997)211
Yoshimura, T., see Suzuki, M. 693(1997)11
Yu, B.-S., Nie, L.-H. and Yao, S.-Z.
Ion chromatographic study of sodium, potassium and ammonium in human body fluids with bulk acoustic wave detection 693(1997)43
Yuen, K.-H., see Peh, K.-K. 693(1997)241
Zhang, J., see Ma, F. 693(1997)307
Zupančič-Kralj, L., see Merslavič, M. 693(1997)222

Compound Index Vol. 693

Acetaldehyde
Determination of acetaldehyde in biological samples by gas chromatography with electron-capture detection 693(1997)297

Acyclovir
Determination of acyclovir in human plasma by high-performance liquid chromatography 693(1997)233

Simple high-performance liquid chromatographic method for the determination of acyclovir in human plasma using fluorescence detection 693(1997)241

Amifostine
High-performance liquid chromatographic assay using electrochemical detection for the combined measurement of amifostine, WR 1065 and the disulfides in plasma 693(1997)167

Amiloride
Determination and pharmacokinetics of a furosemide–amiloride drug combination 693(1997)383

Amines
High-performance liquid chromatographic determination of biogenic amines in fish implicated in food poisoning 693(1997)23

Aminoglycosides
Sensitive high-performance liquid chromatographic assay for aminoglycosides in biological matrices enables the direct estimation of bacterial drug uptake 693(1997)415

Amlodipine
Semi-preparative chromatographic purification of the enantiomers *S*-(−)-amlodipine and *R*-(+)-amlodipine 693(1997)367

Ammonium
Ion chromatographic study of sodium, potassium and ammonium in human body fluids with bulk acoustic wave detection 693(1997)43

Amprolium
Rapid and sensitive determination of amprolium in chicken plasma by high-performance liquid chromatography with post-column reaction 693(1997)489

Anaesthetics
Gas chromatography in anaesthesia. I. A brief review of analytical methods and gas chromatographic detector and column systems 693(1997)1

Anthraquinone derivatives
Chromatographic identification of phenolic compounds in human urine following oral administration of the herbal medicines *Daisaiko-to* and *Shosaiko-to* 693(1997)191

Atevirdine
Sensitive reversed-phase high-performance liquid chromatographic method for the determination of atevirdine and its N-desethyl metabolite in human saliva or cerebrospinal fluid using solid-phase extraction 693(1997)431

4-Azasteroid
Low level determination of a novel 4-azasteroid and its carboxylic acid metabolite in human plasma and semen using high-performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 693(1997)117

Benzoylecgonine
Determination of cocaine and its metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 693(1997)307

Benzoylnorecgonine
Determination of cocaine and its metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 693(1997)307

Bile acids
Determination of 3-oxo-Δ^4- and 3-oxo-$\Delta^{4,6}$-bile acids and related compounds in biological fluids of infants with cholestasis by gas chromatography–mass spectrometry 693(1997)11

Bilirubin
New sorbent for bilirubin removal from human plasma: Cibacron Blue F3GA-immobilized poly(EGDMA–HEMA) microbeads 693(1997)271

BMS186716
Quantitative determination of BMS186716, a thiol compound, in dog plasma by high-performance liquid chromatography–positive ion electrospray mass spectrometry after formation of the methyl acrylate adduct 693(1997)109

Brombuterol
Application of a sequential analytical procedure for the detection of the β-agonist brombuterol in bovine urine samples 693(1997)468

Captopril
Bioanalysis of captopril: two sensitive high-performance liquid chromatographic methods with pre- or postcolumn fluorescent labeling 693(1997)181

Carboxylic acids
Simple approach for analysis of plasma oxo-, hydroxy- and dicarboxylic acids 693(1997)499

Catecholamines
Analysis of creatinine, vanilmandelic acid, homovanillic acid and uric acid in urine by micellar electrokinetic chromatography 693(1997)463

Chlortetracycline
Improvement of chemical analysis of antibiotics. XXIII. Identification of residual tetracyclines in bovine tissues by electrospray high-performance liquid chromatography–tandem mass spectrometry 693(1997)337

Chlorzoxazone
Rapid and sensitive high-performance liquid chromatographic assay for 6-hydroxychlorzoxazone and chlorzoxazone in liver microsomes 693(1997)479

Cholesteryl ester hydroperoxides
Simultaneous determination of phospholipid hydroperoxides and cholesteryl ester hydroperoxides in human plasma by high-performance liquid chromatography with chemiluminescence detection 693(1997)211

Cisplatin
High-performance liquid chromatographic determination of cisplatin as platinum(II) in a pharmaceutical preparation and blood samples of cancer patients 693(1997)175

CI-980
Determination of the anticancer agent CI-980 in plasma by achiral liquid chromatography on a Pirkle-type stationary phase 693(1997)493

CI-1007
Determination of two CI-1007 sulfate metabolites in monkey plasma and urine 693(1997)159

CI-1007 sulfates
Determination of two CI-1007 sulfate metabolites in monkey plasma and urine 693(1997)159

Clenbuterol
Determination of residues of the β-agonist clenbuterol in liver of medicated farm animals by gas chromatography–mass spectrometry using diphasic dialysis as an extraction procedure 693(1997)321

Cocaine
Determination of cocaine and its metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 693(1997)307

Creatinine
Analysis of creatinine, vanilmandelic acid, homovanillic acid and uric acid in urine by micellar electrokinetic chromatography 693(1997)463

CTP synthetase
Determination of CTP synthetase activity in crude cell homogenates by a fast and sensitive non-radiochemical assay using anion-exchange high-performance liquid chromatography 693(1997)287

Cysteine
Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139

Desipramine
Sensitive microanalysis of imipramine and desipramine in single rat thyroids by gas chromatography–mass spectrometry 693(1997)93

Simultaneous determination of imipramine, desipramine and their 2- and 10-hydroxylated metabolites in human plasma and urine by high-performance liquid chromatography 693(1997)153

Dexfenfluramine
Measurement of dexfenfluramine metabolism in rat liver microsomes by gas chromatography–mass spectrometry 693(1997)327

Dicarboxylic acids
Simple approach for analysis of plasma oxo-, hydroxy- and dicarboxylic acids 693(1997)499

3,4-Dihydroxybenzoic acid
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

Dihydroxyphenylglycol
High-performance liquid chromatographic determination of myocardial interstitial dihydroxyphenylglycol 693(1997)218

2,4-Dinitrophenylhydrazine
Determination of acetaldehyde in biological samples by gas chromatography with electron-capture detection 693(1997)297

Docetaxel
Sensitive determination of docetaxel in human plasma by liquid–liquid extraction and reversed-phase high-performance liquid chromatography 693(1997)437

Dolastatin-10
High-performance capillary electrophoresis measurement of dolastatin-10 693(1997)451

Dopamine
Determination of unchanged [^{18}F]dopamine in human and non-human primate plasma during positron emission tomography studies: a new solid-phase extraction method comparable to radio-thin-layer chromatography analysis 693(1997)265

Dopaminergic compounds
Determination of dopaminergic prodrugs by high-performance liquid chromatography followed by post-column ion-pair extraction 693(1997)484

Doxycycline
Improvement of chemical analysis of antibiotics. XXIII. Identification of residual tetracyclines in bovine tissues by electrospray high-performance liquid chromatography–tandem mass spectrometry 693(1997)337

Endotoxin
Membrane adsorbers for selective removal of bacterial endotoxin 693(1997)79

Enzymes
Determination of CTP synthetase activity in crude cell homogenates by a fast and sensitive non-radiochemical assay using anion-exchange high-performance liquid chromatography 693(1997)287

Fentanyl
Gas chromatographic–mass spectrometry and gas chromatographic–Fourier transform infrared spectroscopy assay for the simultaneous identification of fentanyl metabolites 693(1997)59

Finasteride
Finasteride in biological fluids: extraction and separation by a graphitized carbon black cartridge and quantification by high-performance liquid chromatography 693(1997)245

Flavonoids
Chromatographic identification of phenolic compounds in human urine following oral administration of the herbal medicines *Daisaiko-to* and *Shosaiko-to* 693(1997)191

Flavonols
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

Fosphenytoin
Simultaneous rapid high-performance liquid chromatographic determination of phenytoin and its prodrug, fosphenytoin in human plasma and ultrafiltrate 693(1997)407

Furosemide
Determination and pharmacokinetics of a furosemide–amiloride drug combination 693(1997)383

Glucose
Direct determination of polyglucose metabolites in plasma using anion-exchange chromatography with pulsed amperometric detection 693(1997)353

Glutathione, reduced
Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139

Growth hormone secretagogue
Determination of a novel growth hormone secretagogue (MK-677) in human plasma at picogram levels by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 693(1997)131

Hippuric acid
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

Histamine
High-performance liquid chromatographic determination of biogenic amines in fish implicated in food poisoning 693(1997)23

Homavanillic acid
Analysis of creatinine, vanilmandelic acid, homovanillic acid and uric acid in urine by micellar electrokinetic chromatography 693(1997)463

Homocysteine
Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139

4-Hydroxybenzoic acid
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

4-Hydroxybenzoic acid conjugate
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

Hydroxycarboxylic acids
Simple approach for analysis of plasma oxo-, hydroxy- and dicarboxylic acids 693(1997)499

6-Hydroxychlorzoxazone
Rapid and sensitive high-performance liquid chromatographic assay for 6-hydroxychlorzoxazone and chlorzoxazone in liver microsomes 693(1997)479

Hydroxydesipramine
Simultaneous determination of imipramine, desipramine and their 2- and 10-hydroxylated metabolites in human plasma and urine by high-performance liquid chromatography 693(1997)153

Hydroxyephedrine
High speed liquid chromatography of phenylethanolamines for the kinetic analysis of [^{11}C]-*meta*-hydroxyephedrine and metabolites in plasma 693(1997)31

4-Hydroxyhippuric acid
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

Hydroxyimipramine
Simultaneous determination of imipramine, desipramine and their 2- and 10-hydroxylated metabolites in human plasma and urine by high-performance liquid chromatography 693(1997)153

Imipramine
Sensitive microanalysis of imipramine and desipramine in single rat thyroids by gas chromatography–mass spectrometry 693(1997)93

Simultaneous determination of imipramine, desipramine and their 2- and 10-hydroxylated metabolites in human plasma and urine by high-performance liquid chromatography 693(1997)153

Isradipine
Isocratic high-performance liquid chromatographic method for the separation of isradipine and its main metabolites. Application to in vitro metabolization by h3A4/OR cells 693(1997)359

Ketocarboxylic acids
Simple approach for analysis of plasma oxo-, hydroxy- and dicarboxylic acids 693(1997)499

Lamotrigine
Lamotrigine analysis in plasma by gas chromatography–mass spectrometry after conversion to a *tert.*-butyldimethylsilyl derivative 693(1997)101

Lansoprazole
High-performance thin-layer chromatographic method for the detection and determination of lansoprazole in human plasma and its use in pharmacokinetic studies 693(1997)199

Lipids
Evaluation of extracellular lipid peroxidation in brain cortex of anaesthetized rats by microdialysis perfusion and high-performance liquid chromatography with fluorimetric detection 693(1997)257

LSD
Determination of LSD in blood by capillary electrophoresis with laser-induced fluorescence detection 693(1997)313

D-Lysergic acid diethylamide
Determination of LSD in blood by capillary electrophoresis with laser-induced fluorescence detection 693(1997)313

Malondialdehyde
Evaluation of extracellular lipid peroxidation in brain cortex of anaesthetized rats by microdialysis perfusion and high-performance liquid chromatography with fluorimetric detection 693(1997)257

2-Mercaptopropionic acid
Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139

3-Methoxy-4-hydroxybenzoic acid
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

3-Methoxy-4-hydroxyhippuric acid
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

Microdialysis
Evaluation of extracellular lipid peroxidation in brain cortex of anaesthetized rats by microdialysis perfusion and high-performance liquid chromatography with fluorimetric detection 693(1997)257

MK-677
Determination of a novel growth hormone secretagogue (MK-677) in human plasma at picogram levels by liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 693(1997)131

Monobromobimane
Bioanalysis of captopril: two sensitive high-performance liquid chromatographic methods with pre- or postcolumn fluorescent labeling 693(1997)181

Morphine
Highly sensitive gas chromatographic–mass spectrometric method for morphine determination in plasma that is suitable for pharmacokinetic studies 693(1997)51

Musk xylene
Gas chromatographic method using electron-capture detection for the determination of musk xylene in human blood samples. Biological monitoring of the general population 693(1997)71

N-Desethylatevirdine
Sensitive reversed-phase high-performance liquid chromatographic method for the determination of atevirdine and its N-desethyl metabolite in human saliva or cerebrospinal fluid using solid-phase extraction 693(1997)431

Neomycin
Sensitive high-performance liquid chromatographic assay for aminoglycosides in biological matrices enables the direct estimation of bacterial drug uptake 693(1997)415

Netilmicin
Sensitive high-performance liquid chromatographic assay for aminoglycosides in biological matrices enables the direct estimation of bacterial drug uptake 693(1997)415

Norcocaine
Determination of cocaine and its metabolites in serum microsamples by high-performance liquid chromatography and its application to pharmacokinetics in rats 693(1997)307

Norverapamil
Simultaneous determination of verapamil and norverapamil in biological samples by high-performance liquid chromatography using ultraviolet detection 693(1997)377

Ondansetron
High-resolution liquid chromatographic method using ultraviolet detection for determination of ondansetron in human plasma 693(1997)399

Oxobile acids
Determination of 3-oxo-Δ^4- and 3-oxo-$\Delta^{4,6}$-bile acids and related compounds in biological fluids of infants with cholestasis by gas chromatography–mass spectrometry 693(1997)11

Oxytetracycline
Improvement of chemical analysis of antibiotics. XXIII. Identification of residual tetracyclines in bovine tissues by electrospray high-performance liquid chromatography–tandem mass spectrometry 693(1997)337

Paroxetine
Quantitative determination of paroxetine in plasma by high-performance liquid chromatography and ultraviolet detection 693(1997)147

Penicillamine
Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139

Peptide T
High-performance liquid chromatographic analysis of Peptide T in rabbit plasma with on-line column enrichment 693(1997)237

Phenylethanolamines
High speed liquid chromatography of phenylethanolamines for the kinetic analysis of [^{11}C]-*meta*-hydroxyephedrine and metabolites in plasma 693(1997)31

Phenytoin
Simultaneous rapid high-performance liquid chromatographic determination of phenytoin and its prodrug, fosphenytoin in human plasma and ultrafiltrate 693(1997)407

Phospholipid hydroperoxides
Simultaneous determination of phospholipid hydroperoxides and cholesteryl ester hydroperoxides in human plasma by high-performance liquid chromatography with chemiluminescence detection 693(1997)211

***o*-Phthaldialdehyde**
Bioanalysis of captopril: two sensitive high-performance liquid chromatographic methods with pre- or postcolumn fluorescent labeling 693(1997)181

Platinum(II)
High-performance liquid chromatographic determination of cisplatin as platinum(II) in a pharmaceutical preparation and blood samples of cancer patients 693(1997)175

Polyglucose
Direct determination of polyglucose metabolites in plasma using anion-exchange chromatography with pulsed amperometric detection 693(1997)353

Potassium
Ion chromatographic study of sodium, potassium and ammonium in human body fluids with bulk acoustic wave detection 693(1997)43

Prilocaine
Stereoselective determination of *R*-(−)- and *S*-(+)-prilocaine in human serum by capillary electrophoresis using a derivatized cyclodextrin and ultraviolet detection 693(1997)205

Proteins
Membrane adsorbers for selective removal of bacterial endotoxin 693(1997)79

Salt-independent adsorption of human serum proteins on cyanocarbon gels 693(1997)277

Pyrimidine
Determination of CTP synthetase activity in crude cell homogenates by a fast and sensitive non-radiochemical assay using anion-exchange high-performance liquid chromatography 693(1997)287

Quinine
High-performance liquid chromatographic determination of quinine in rat biological fluids 693(1997)423

Ranitidine
Simple and robust high-performance liquid chromatographic method for the determination of ranitidine in microvolumes of human serum 693(1997)228

Use of post-column fluorescence derivatization to develop a liquid chromatographic assay for ranitidine and its metabolites in biological fluids 693(1997)443

Ranitidine oxide
Use of post-column fluorescence derivatization to develop a liquid chromatographic assay for ranitidine and its metabolites in biological fluids 693(1997)443

Sisomicin
Sensitive high-performance liquid chromatographic assay for aminoglycosides in biological matrices enables the direct estimation of bacterial drug uptake 693(1997)415

Sodium
Ion chromatographic study of sodium, potassium and ammonium in human body fluids with bulk acoustic wave detection 693(1997)43

Steroids
Low level determination of a novel 4-azasteroid and its carboxylic acid metabolite in human plasma and semen using high-performance liquid chromatography with atmospheric pressure chemical ionization tandem mass spectrometry 693(1997)117

Terfenadine
Analysis of terfenadine in human plasma using microbore high-performance liquid chromatography–electrospray ionisation mass spectrometry 693(1997)345

Tetracycline
Improvement of chemical analysis of antibiotics. XXIII. Identification of residual tetracyclines in bovine tissues by electrospray high-performance liquid chromatography–tandem mass spectrometry 693(1997)337

Tetracyclines
Improvement of chemical analysis of antibiotics. XXIII. Identification of residual tetracyclines in bovine tissues by electrospray high-performance liquid chromatography–tandem mass spectrometry 693(1997)337

Thiobarbituric acid
Evaluation of extracellular lipid peroxidation in brain cortex of anaesthetized rats by microdialysis perfusion and high-performance liquid chromatography with fluorimetric detection 693(1997)257

Thiols
Quantitative determination of BMS186716, a thiol compound, in dog plasma by high-performance liquid chromatography–positive ion electrospray mass spectrometry after formation of the methyl acrylate adduct 693(1997)109

Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139

Thiourea
Amperometric detection of organic thiols at a tungsten wire electrode following their separation by liquid chromatography 693(1997)139

Ticlopidine
Liquid chromatographic method for the determination of ticlopidine in human plasma 693(1997)393

Tramadol
Determination of tramadol in human plasma by capillary gas chromatography–mass spectrometry using solid-phase extraction 693(1997)222

Uric acid
Analysis of creatinine, vanilmandelic acid, homovanillic acid and uric acid in urine by micellar electrokinetic chromatography 693(1997)463

Vanillic acid
Identification of *Ginkgo biloba* flavonol metabolites after oral administration to humans 693(1997)249

Vanilmandelic acid
Analysis of creatinine, vanilmandelic acid, homovanillic acid and uric acid in urine by micellar electrokinetic chromatography 693(1997)463

Verapamil
Simultaneous determination of verapamil and norverapamil in biological samples by high-performance liquid chromatography using ultraviolet detection 693(1997)377

WR 1065
High-performance liquid chromatographic assay using electrochemical detection for the combined measurement of amifostine, WR 1065 and the disulfides in plasma 693(1997)167